

Oracle8i: New Features for Administrators

1Z0-020

**Demo Version
From
ITCertKeys.com
To
CertsBraindumps.com**

Question 1.

Following an upgrade from Oracle8, release 8.0, to Oracle8i, release 1 or 2, you should run the script utlrp.sql to accomplish which goal?

- A. Create a set of compatible data dictionary tables.
- B. Recompile any PL/SQL modules made invalid by the upgrade.
- C. To remove the release upgrade program modules from the SYSTEM tablespace.
- D. Replace statistics tables created with the DBMS_STATS with current versions.

Answer: B

Question 2.

Which command will open a standby database in read-only mode?

- A. ALTER DATABASE OPEN READ ONLY;
- B. STARTUP READ ONLY;
- C. ALTER DA MOUNT READ ONLY;
- D. ALTER DATABASE READ ONLY;

Answer: A

Question 3.

Which two statements are true? (Choose two)

- A. Composite partitioning enables you to prevent partition elimination.
- B. Composite partitioning supports hash—partitioned global indexes.
- C. Composite partitioning is ideal for both historical data and data placement.
- D. Composite partitioning providing high availability, like range partitioning.

Answer: C & D

Question 4.

Which command will no longer be supported after Oracle 8.1?

- A. CONNECT INTERNAL
- B. CONNECT/ AS SYSDBA
- C. CONNECT/ AS SYSTEM
- D. CONNECT/ AS SYSOPER

Answer: A

Question 5.

Examine this statement:

```
SELECT *  
FROM (SELECT class_id,crs_id  
FROM classes  
ORDER BY start_date DESC)  
WHERE ROWNUM <11;
```

What will happen when this executes?

- A. The ten rows with the latest start date will be returned.
- B. The ten rows with the earliest start date will be returned.

- C. An error is returned citing an ORDER BY embedded within a subquery.
- D. An error is returned citing an ORDER BY clause reference to a column that is not selected.

Answer: A

Question 6.

What is the maximum number of parallel recovery servers when the FAST_START_PARALLEL_ROLLBACK parameter is set to HIGH?

- A. 2* CPU_COUNT
- B. 4* CPU_COUNT
- C. 6* CPU_COUNT
- D. 2* number of rollback transactions
- E. 4* number of rollback transactions

Answer: B

Question 7.

Your standby database has been in read-only mode for the past five hours. During this time ten log switches have taken place on the production database. The DBA now wants to put the database into a sustained recovery mode. What happens to the archive logs?

- A. They are applied to the standby database while in read-only mode.
- B. They are applied to the standby database automatically when the DBA issues the ALTER DATABASE RECOVER MANAGED DATABASE command.
- C. They are applied to the standby database automatically when the DBA issues the ALTER DATABASE RECOVER DATABASE command.
- D. The DBA must manually apply the archived logs to the database, before putting the database into standby mode.
- E. The archive logs are stored on the production server, and are transferred across when the standby database returns to managed recovery.

Answer: B

Question 8.

To enable a database to have more than one service associated with it, the connect descriptor SID parameter in the tnsnames.ora file has been replaced by which two parameters?(Choose two)

- A. SERVICE_NAME.
- B. LISTENER_NAME.
- C. INSTANCE_NAME.
- D. DISPATCHERS.

Answer: A & C

Question 9.

In the DBA_TRIGGER data dictionary view, the value in the TABLE_NAME column will be NULL in which two situations? (Choose two)

- A. The trigger is a schema trigger.
- B. The trigger is a database trigger.
- C. The trigger was created by the DBA for another user.
- D. The trigger is created with the CREATE ANY TRIGGER privilege.
- E. The trigger was created by a user who connected with the CONNECT INTERNAL command.

Answer: A & B

Question 10.

Which three statements about transportable tablespaces are true? (Choose Three)

- A. A transportable tablespace must not contain BLOBs.
- B. The source and target databases must have the same block size.
- C. The source and target databases must have the same character set.
- D. The data file names must be the same for the source and target databases.
- E. The operating systems must be the same for the source and target databases.

Answer: B, C, E

Question 11.

Which two statements are true for materialized views? (Choose two)

- A. They must be built in the SYSTEM tablespace.
- B. They can reduce the aggregation required for a query.
- C. They are rebuilt with the ALTER VIEW . . . REBUILD command.
- D. They can be created in a different tablespace than the base tables.
- E. A container table stores the data for multiple materialized view objects.

Answer: B, D

Question (11 Similar).

Which two statements are true for materialized views? (Choose two)

- A. They must be built in the SYSTEM tablespace.
- B. They can reduce the table joins required for a query.
- C. They are rebuilt with the ALTER VIEW . . . REBUILD command.
- D. They can have different storage parameters than the base tables.
- E. A container table stores the data for multiple materialized view objects.

Answer: B, D

Question (11 Similar).

Which two statements are true for materialized view? (Choose two)

- A. They must be rebuilt manually.
- B. They cannot have indexes built on columns.
- C. They can reduce the table joins required for a query.
- D. They must be built in the same tablespace as the base tables.
- E. They can have different storage parameters than the base tables.

Answer: C & E

Question 12.

What is found in the destination provided by the STANDBY_ARCHIVE_DEST parameter?

- A. Archive logs generated by the standby database.
- B. Archive logs copied by the DBA from the primary site.
- C. Archive logs copied automatically from the primary site.
- D. Default destination for archiving in the event a current archive destination becomes unavailable.

Answer: C

Question 13.

In your environment, you want the procedure to use the user's own tables. In defining your procedure, you should include a clause after the following code:

```
CREATE PROCEDURE local_update (table_name in VARCHAR2)
```

Type in the correct key word to begin the clause. Type only your answer. Do not type any extra words or characters.

Answer: AUTHID CURRENT_USER IS

Question 14.

What is one of the benefits of system-managed locally managed tablespace, defined with the AUTOALLOCATE option?

- A. All extents will be uniformly sized.
- B. Rollback segments created in them automatically resize themselves.
- C. You do not have to worry about the amount of free space available.
- D. Neither the DBA nor the users have to concern themselves with storage parameters to size the extents.

Answer: D

Question 15.

A DBA now has the ability to mark certain blocks of a table as being corrupt. This will enable a full table scan to skip over them. In order to achieve this, which command should a DBA issue?

- A. ALTER TABLE <table_name> MARK <block_id>;
- B. SELECT*FROM <table_name> SKIP <block_id>;
- C. Run the DBVERIFY utility on the relevant datafile
- D. ALTER TABLESPACE <tablespace_name> MARK <block_id>;
- E. EXECUTE DBMS_REPAIR.SKIP_CORRUPT_BLOCKS ('<schema_name>', '<table_name>')

Answer: E

Question 16.

Why would you use the PL/SQL procedure DBMS_TTS.TRANSPORT_SET_CHECK?

- A. To verify whether a set of tablespaces is self-contained.
- B. To create and display the table TRANSPORT_SET_VIOLATIONS
- C. To verify the consistency of a set of unplugged tablespaces.
- D. To check whether a set of tablespaces was successfully transported.

Answer: A

Question 17.

What is characteristic of autonomous transactions?

- A. They share resources with the calling transaction.
- B. Committed changes in an autonomous transaction are visible to other transactions (except possibly the calling transaction) regardless of whether the calling transaction commits or rolls back.
- C. Deadlocks between the autonomous transaction and its calling transaction are previewed.

- D. Savepoint names need to be unique between the calling transaction and the autonomous transaction.

Answer: B

Question 18.

Which tool, integrated with Oracle universal installer, can be used by third-party vendors to install their products as part of an Oracle installation?

- A. Oracle Software Packager.
- B. Java Run-Time environment.
- C. Database migration assistant.
- D. Optimal flexible architecture.

Answer: A

Question 19.

What can you see when querying V\$LOGMNR_CONTENTS?

- A. The SQL statement run and the old image.
- B. The SQL statement run, and the new image.
- C. Only the redo generated by the current schema.
- D. The SQL statement run, and the relevant undo SQL statement.
- E. The old image and the new image of the row that was modified.

Answer: D

Question 20.

What happens during a complete refresh of a materialized view?

- A. The materialized view is dropped and recreated.
- B. Changes in the materialized view are applied to the underlying table.
- C. Changes captured in the materialized view log are applied to the materialized view.
- D. The materialized view is truncated or deleted and repopulated by re-executing the materialized view query.

Answer: C

Question 21.

What does the DBMS_OLAP.VALIDATE_DIMENSION procedure do?

- A. Verifies that the table referenced in the dimension exists.
- B. Verifies that the columns in the dimension exist in the summary.
- C. Verifies that the columns in the dimension exist in the materialized view.
- D. Verifies that the columns in a dimension satisfy the one-to-many relationship in the hierarchy.

Answer: D

Question 22.

Which statement about transportable tablespaces is true?

- A. They can be used to reorganize a table in a tablespace.
- B. The name of the tablespace can be changed during transportation.
- C. The data in the tablespace is copied using the SQL*Loader utility.
- D. The name of the schema that owns the objects in the tablespace can be changed during transportation.

Answer: D

Question 23.

Which statement is true for locally managed tablespaces?

- A. A free list contains information about free blocks in the file.
- B. A set of blocks in the system tablespace tracks space usage.
- C. Dictionary tables in the system tablespace track space usage.
- D. A file bitmap contains information about free blocks in the file.
- E. A dictionary table contains information about free blocks in the file.

Answer: D

Question 24.

You want to benefit from a partial partition-wise join for two tables. What is required?

- A. You must define a foreign key constraint.
- B. You need to equipartition both tables on their join keys.
- C. You need to hush-partitioned both tables on their join keys.
- D. You need to partition one of the tables on their join keys.

Answer: D

Question 25.

Which two statements are true for an online index rebuild? (Choose two)

- A. No table locking is required.
- B. The operation can be done in parallel.
- C. Queries on the base table will result in errors.
- D. Changes to the base table are logged in a journal table.

Answer: A, B

Question 26.

Which two statements are true regarding partitioned tables?(Choose Two)

- A. Partitions must reside in the same tablespace.
- B. Partitions must be the same size.
- C. Partitions may only reside in read/write tablespaces.
- D. Partitions may only reside in read only tablespaces.
- E. Row movement between partitions is allowed only if row movement is enabled.
- F. Row movement between partitions is allowed by default.

Answer: B & E

Question 27.

Which three functions can be improved through the use of transportable tablespaces? (Choose two)

- A. Archive historical data.
- B. Perform tablespace point-in-time recovery.
- C. Distribute relational data on a medium such as CD.
- D. Migrate a database to a different operating system.

Answer: A, C

Question 28.

Which type of LOBs cannot be declared as temporary?

- A. CLOB
- B. NCLOB
- C. BLOB
- D. BFILE

Answer: D

Question 29.

Temporary tables retain data until the _____.

- A. Database is exported.
- B. Instance is shut down.
- C. Database is backed up.
- D. Transaction or session completes.
- E. Statement needing sort space commits.

Answer: B

Question 30.

Examine this execution plan:

Execution Plan

0		SELECT STATEMENT Optimizer =CHOOSE
1	0	COUNT (STOPKEY)
2	1	VIEW
3	2	SORT (ORDER BY STOPKEY)
4	3	TABLE ACCESS (FULL) OF 'CLASSES'

Which statement generated this execution plan?

- A. SELECT COUNT (*)
FROM classes
ORDER BY stopkey;
- B. SELECT COUNT (*)
FROM classes
ORDER BY start_date;
- C. SELECT *
FROM (SELECT * FROM classes
ORDER BY start_date DESC)
WHERE ROWNUM < 11;
- D. SELECT *
FROM (SELECT * FROM classes
WHERE ROWNUM < 11)
ORDER BY start_date DESC;

Answer: A

Question 31.

Which two statements about dimensions are true? (Choose two)

- A. A hierarchy can consist of multiple levels.

- B. A dimension can be based on multiple tables.
- C. A dimension can contain only a single hierarchy.
- D. No special privileges are required to create a dimension.

Answer: A, B

Question 32.

Which two statements are true? (Choose two)

- A. Composite partitioning supports partition-wise dumps.
- B. Composite partitioning improves performance for parallel DML.
- C. Composite partitioning is used primarily in OLTP environments.
- D. Composite partitioning allows more granular partition elimination.

Answer: A, B

Question 33.

Which statement is true?

- A. Materialized views based on prebuilt tables are eligible for selection by query rewrite, provided that the QUERY_REWRITE_INTEGRITY parameter is set to TRUSTED or STALE_TOLERATED.
- B. Query rewrites occur only if dimensions are present.
- C. Materialized views are eligible for fast refresh even if the defining query contains an analytic function in 8.1.6
- D. Query rewrites occur only if summaries are created at the lowest level of aggregation.

Answer: A

Question 34.

Which would you use to create a multiple databases with the same configuration?

- A. ORAINST
- B. Enterprise manager
- C. Universal installer
- D. Database Replication Assistant
- E. Database configuration Assistant

Answer: E

Question 35.

A stored outline uses which database feature when creating an execution plan for a SQL statement?

- A. SQL statement hints.
- B. Statement pinning in the large pool.
- C. Statement pinning in the shared pool.
- D. Automatic analysis of objects to collect current statistics.

Answer: A

Question 36.

Which action can be performed on a composite index partition?

- A. Dropping the partition.
- B. Splitting the partition.

- C. Modifying the partition of a global index.
- D. Rebuilding the partition of a local index.

Answer: C

Question 37.

When creating plans with Database Resources Management, the pending area is used to _____.

- A. Roll back a transaction
- B. Store resource usage statistics
- C. Facilitate validation before committing
- D. Hold rows inserted into temporary tables.

Answer: C

Question 38.

You set the PARALLEL_ADAPTIVE_MULTI_USER initialization parameter to TRUE. What happens?

- A. A parallel server environment will allow only one user connection per instance.
- B. The PARALLEL_AUTOMATIC_TUNING initialization parameter is automatically set to TRUE.
- C. The requested degree of parallelism, specified on a table or through a hint, is reduced to match the current load.
- D. The total number of concurrent parallel query slaves will have a hard-coded platform-dependent maximum value.

Answer: C

Question 39.

Which two statements are true when corrupted blocks are skipped? (Choose two)

- A. All rows in a corrupt block are inaccessible.
- B. Referential integrity may be violated.
- C. If the freelist is corrupt the table has to be re-created.
- D. Only the corrupted rows within a block will be inaccessible.
- E. Queries have to be rewritten so they will skip corrupted blocks.
- F. Indexes pointing to corrupt blocks will be marked as invalid.

Answer: A & B

Question 40.

You decide to move a table from one tablespace to another with this command:

```
ALTER TABLE orders MOVE TABLESPACE data1
```

Which type(s) of statements could be executed on the table while the table is being moved?

- A. None
- B. Queries only
- C. Queries, inserts, and updates
- D. Inserts, updates, and deletes
- E. Queries, DML, DDL statements
- F. Queries, inserts, updates, and deletes

Answer: B

Question 41.

Which two statements are true? (Choose two)

- A. With composite partitioning, table partitions can store data rows.
- B. With composite partitioning, table partitions cannot store data rows.
- C. With composite partitioning, table sub-partitions can store data rows.
- D. With composite partitioning, table sub-partitions cannot store data rows.

Answer: B, C

Question 42.

Which two factors can influence the time taken for instance recovery? (Choose two)

- A. Size of the redo log buffer.
- B. Value of FAST_START_IO_TARGET
- C. Size of the system tablespace.
- D. Value of RECOVERY_PARALLELISM
- E. The number of archived redo logs that have to be read.
- F. The number of tables stored in the database buffer cache at the moment of failure.

Answer: B & E

Question 43.

When you create a stored outline, in which schema is it stored?

- A. SYS
- B. OUTLN
- C. SYSTEM
- D. The Current User

Answer: B

Question 44.

Examine this statement:

```
SELECT deptno,job,SUM(sal)
FROM emp
```

Which GROUP BY clause would you use to generate a subtotal of the sum of salaries in each department, and a subtotal of the sum of salaries of all the different job types?

- A. GROUP BY deptno, job;
- B. GROUP BY CUBE (deptno, job);
- C. GROUP BY ROLLUP (deptno, job);
- D. GROUP BY SUM (deptno), SUM (job);
- E. GROUP BY CUBE (deptno, job, sal);

Answer: B

Question 45.

Why would you drop a column instead of marking it unused?

- A. You want to release the space.
- B. You want it to process more quickly.

- C. You want users to be able to modify the table during the operation.
- D. You want to prevent users from creating a new column with the same name.
- E. You want the column data to be available again on export or import of the table.

Answer: A

Question 46.

What happens during query rewrites of materialized views?

- A. The user rewrites the SELECT statement without the GROUP BY clause.
- B. The user rewrites the SELECT statement to use the table instead of the materialized view.
- C. The optimizer rewrites the SELECT statement to use the table instead of the materialized view.
- D. The optimizer rewrites the SELECT statement to use the materialized view instead of the table.

Answer: D

Question 47.

What does the optimizer plan stability feature use to maintain different stored outlines for the same SQL statement?

- A. Schemas
- B. Profiles
- C. Categories
- D. Resource manager

Answer: C

Question 48.

Which statement is true regarding composite partitions?

- A. Partitions and subpartitions can use either hash or the range method.
- B. Partitions use the range method and subpartitions use the hash method.
- C. Partitions use the hash method and subpartitions the range method.
- D. Partitions use either the hash or range method, and subpartitions can use only the hash methods.
- E. Partitions and subpartitions can use either the hash or range method, if both use the same method.

Answer: B

Question 49.

What must you do to enable partition-wise joins?

- A. Nothing, because this feature is enabled automatically.
- B. The instance parameter `partition_wise_joins` must be set to "TRUE"
- C. The table parameter `partition_wise_joins` must be set using an "ALTER TABLE. . . ." statement.
- D. The parameter `partition_wise_join` must be set when the table is created.
- E. In the select statement, use the hint `/*partition_wise_joins*/`

Answer: A

Question 50.

Which feature of the Universal Installer would help you install software in an environment with multiple databases on a single machine?

- A. Logging
- B. Web download
- C. Multiple Oracle homes
- D. Configuration tool integration
- E. National language support

Answer: C

Question 51.

Which three statements about fine-grained access control are true? (Choose three)

- A. The application context is required.
- B. The application context is not required, but recommended.
- C. Security cannot be bypassed as it is built into each application.
- D. Security cannot be bypassed as it built into the database server.
- E. Security can be built in the database server instead of each application.

Answer: A, D, E

Question 52.

Examine this command:

```
ALTER SESSION SET USE_STORED_OUTLINE =TRUE;
```

Which outline category will be used?

- A. SYS
- B. TRUE
- C. OUTLN
- D. DEFAULT

Answer: D

Question 53.

You want to create a Java stored procedure. You have written the Java program. What are two methods for loading the Java code into the Oracle Virtual Machine? (Choose two)

- A. Use the LOADJAVA utility.
- B. Use the SQLJ LOAD JAVA option.
- C. Use the JDEVELOPER LOAD JAVA option.
- D. Use the CREATE JAVA DLL command in SQL*Plus.

Answer: A & B

Question 54.

What is one benefit of using the ALTER TABLE MOVE command rather than a CREATE TABLE AS SELECT command?

- A. Row chaining is eliminated.
- B. Index definitions are retained.
- C. Duplicate space is not required while the command executes.
- D. All operations, such as INSERT, UPDATE, DELETE, and SELECT can be performed while the operation completes.

Answer: B

Question 55.

Which two statements about optimizer plan stability are true? (Choose Two)

- A. Profiles specify the user's default category.
- B. Data dictionary statistics are ignored when using a stored outline.
- C. Data dictionary statistics are ignored when creating a stored outline.
- D. Categories allow different stored outlines for the same SQL statement.

Answer: B, D

Question 56.

How many archive destinations can be specified for a remote destination?

- A. 1.
- B. 3.
- C. 5
- D. No destination for remote site.

Answer: A

Question 57.

Which parameter would you use to set up archiving to a remote machine?

- A. LOG_ARCHIVE_DEST
- B. LOG_ARCHIVE_DEST_2
- C. LOG_ARCHIVE_REMOTE_DEST
- D. ARCHIVE_REMOTE_DEST

Answer: A

Question 58.

Which two statements are true? (Choose two)

- A. Dimensions are based on summaries.
- B. The ALTER MATERIALIZED VIEW CONSIDER FRESH statement directs Oracle to consider the materialized view refresh, and is therefore eligible for query rewrites in the TRUSTED or STALE_TOLERATED mode only.
- C. Summaries without dimensions are used for faster aggregation.
- D. Additional query rewrites at a higher level of aggregation can take place if summaries are created at the lowest level of aggregation.

Answer: A, B

Question 59.

Which tablespace stores the segment of a temporary table?

- A. The default tablespace for user SYS.
- B. The temporary tablespace for user SYS.
- C. The default tablespace for the current user.
- D. The temporary tablespace for the current user.

Answer: C

Question 60.

Which two options are valid for LOBs during their creation? (Choose two)

- A. REDO
- B. NOREDO
- C. LOGGING
- D. NOLOGGING
- E. RECOVERABLE
- F. UNRECOVERABLE

Answer: C & D

Question 61.

What does using the package DBMS_RESOURCE_MANAGER enable you to do? (Choose Four)

- A. Dynamically change profiles assigned to sets of users.
- B. Limit the degree of parallelism on a given set of tables.
- C. Guarantee a minimum degree of parallelism to a set of users.
- D. Distribute available processing resources among sets of users.
- E. Guarantee certain sets of users a minimum amount of disk space.

Answer: A, B, D & E

Question 62.

Which type of statement specifies whose schema should be used when resolving object names?

- A. DEFINE
- B. AUTHID
- C. PRAGMA
- D. EXECUTE
- E. SET USER

Answer: B

Question 63.

In which tablespace are temporary LOBs stored?

- A. In the SYSTEM tablespace.
- B. In the user's temporary tablespace.
- C. In the user's default tablespace.
- D. Any tablespace depending on the temporary LOBs' definition.

Answer: C

Question 64.

You set the PARALLEL_AUTOMATIC_TUNING initialization parameter to FALSE. What happens? (Choose two)

- A. Parallel execution buffers are allocated from the large pool.
- B. Parallel execution buffers are allocated from the shared pool.
- C. Only tables with a degree of parallelism specified will be scanned in parallel.
- D. A load balancing algorithm will be used to distribute evenly load across nodes in a multi instance PQ environment.

Answer: B, C

Question 65.

Given:

LOG_ARCHIVE_DEST_2 – "LOCATION = /archive2 OPTIONAL"

What effect does OPTIONAL have in the location parameter?

- A. There is an error on startup because there is no OPTIONAL clause available.
- B. If the destination is unavailable, it puts the archive log in a default directory.
- C. If the destination is unavailable, it allows the online redo log to be overwritten.
- D. If the destination is unavailable, it allows the online redo log to be overwritten at the request of the DBA.
- E. If the destination is unavailable, it allows the online redo log to be overwritten if the parameter LOG_ARCHIVE_DEST_2_OVERWRITE is set to 'True'

Answer: C

Question 66.

What is the advantage of using locally managed tablespaces?

- A. Data dictionary lookups are faster.
- B. The data dictionary is less prone to contention.
- C. Tables can be partitioned across locally managed tablespaces.
- D. Data warehouse applications can accommodate larger tablespaces.

Answer: B

Question 67.

What is the maximum number of archival destinations allowed in Oracle 8i?

- A. 1
- B. 2
- C. 3
- D. 5
- E. 7

Answer: D

Question 68.

What is true about creating indexes for an index-organized table?

- A. Indexes cannot be added to index-organized tables.
- B. An index can be created only for the primary key values.
- C. An index can be created for any column or set of columns in the table.
- D. At most, one index can be created for the primary key values and one for nonprimary key values.

Answer: A

Question 69.

Which two initialization parameters are used to create the default value for the SERVICE_NAMES initialization parameter when it is not specified? (Choose Two)

- A. DB_NAME
- B. DB_FILE_NAME_CONVERT
- C. DB_DOMAIN
- D. MTS_SERVICE
- E. INSTANCE_NAME

Answer: A, C

Question 70.

When does a SHUTDOWN event trigger fire?

- A. After any instance shutdown.
- B. Before any instance shutdown.
- C. After any instance shutdown except with SHUTDOWN ABORT before any instance shutdown except with SHUTDOWN ABORT.
- D. During the next STARTUP after the database mounts and before it opens.

Answer: B

Question 71.

To avoid having the ampersand (&) treated as the substitution character in SQL*Plus which command(s) must you issue?

- A. SET ESCAPE with the ampersand (&)
- B. CREATE TYPE with the ampersand (&)
- C. SET ESCAPE with the hyphen mark (-)
- D. SET SUBSTITUTION with the hyphen mark (-)

Answer: C

Question 72.

You want to rebuild the EMP_INDX index and collect statistics. Which command would you use?

- A. ALTER INDEX emp_indx REBUILD COMPUTE STATISTICS;
- B. ALTER INDEX emp_indx REBUILD COLLECT STATISTICS;
- C. ALTER INDEX emp_indx REBUILD ESTIMATE STATISTICS;
- D. ALTER INDEX emp_indx REBUILD;
ANALYZE TABLE emp COLLECT STATISTICS;

Answer: A

Question 73.

Which four steps are required to transport a tablespace? (Choose four)

- A. Make the tablespace read-only.
- B. Import metadata into the target database.
- C. Export metadata from the source database.
- D. Copy the data files to the target system.
- E. Make the tablespace in the target database read-write.
- F. Rename the data files on the source system.

Answer: A, B, C & D

Note:

Option E is also valid but not necessary.

Question 74.

Which two can be obtained from the summary advisor? (Choose two)

- A. Summary accounting.
- B. Summary refresh plan.
- C. Summary recommendations.
- D. Summary space requirements.

Answer: C, D

Question 75.

What does fine-grained access enable you to do?

- A. Associate policies with tables and view.
- B. Choose the schema in which a stored PL/SQL block will execute in.
- C. Select which user's privilege map is used during execution.
- D. Select how external object references are resolved in queries.

Answer: A