Installing the SAP Agent in Windows 2000 Server

Windows 2000 Server can be configured as a SAP agent to maintain a list of the available NetWare servers and services on the network. This how-to article describes about installing the SAP agent on a Windows 2000 Server-based computer.

To install the SAP agent, follow these steps.

1. Right-click **Network Neighborhood** on desktop, and then click **Properties**.
2. In the **Network and Dial-up Connections** dialog box, right-click **Local Area Connection**, and then click **Properties**.

3. In the **Local Area Connection Properties** dialog box, click **Install**.

4. In the **Select Network Component Type** dialog box, click **Service**, and then click **Add**.

5. In the **Select Network Service** dialog box, click **SAP Agent**, and then click **OK**.

Select Network Service

Click the Network Service that you want to install, then click OK. If you have an installation disk for this component, click Have Disk.

Network Service:

SAP Agent

Have Disk...

OK   Cancel

6. In the **Local Area Connection Properties** dialog box, click **Close**.

Local Area Connection Properties

General

Connect using:

Realtek RTL8139(A) PCI Fast Ethernet Adapter

Configure

Components checked are used by this connection:

☑ 🖳 Client for Microsoft Networks
☑ 🖳 SAP Agent
☑ 🖳 QoS Packet Scheduler
☑ 🖳 File and Printer Sharing for Microsoft Networks

Install...   Uninstall   Properties

Description

Service Advertising Protocol advertises servers and addresses on a network.

☑ Show icon in taskbar when connected

Close   Cancel

7. Close the **Network and Dial-up Connections** dialog box.